UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/502,439	07/23/2004	Roger W. Carson	C & M	3684
James C Wray	7590 10/07/200	EXAMINER		
1493 Chain Bri	dge Road	PHASGE, ARUN S		
Suite 300 McLean, VA 22	2101		ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			10/07/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/502,439	CARSON ET AL.				
Office Action Summary	Examiner	Art Unit				
	Arun S. Phasge	1795				
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period v  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 23 Ju	ine 2008					
	action is non-final.					
		secution as to the merits is				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
·	panto Quayro, 1000 0.21 11, 10					
Disposition of Claims						
4) Claim(s) 7,9,11,12,15,17,19-52 and 60-110 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) <u>7,9,11,12,15,17,19-52 and 60-110</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
	•					
Attachment(s)	🗖 .					
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P					
Paper No(s)/Mail Date	6) 🔲 Other:					

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

Claim 28 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claim is missing the phrase, "wherein when said superoxidizers" after pH1.

## Double Patenting

Claims 89, 90, 97-99, 101-110 of this application conflict with the apparatus claims of Application No. 10/263,810. 37 CFR 1.78(b) provides that when two or more applications filed by the same applicant contain conflicting claims, elimination of such claims from all but one application may be required in the absence of good and sufficient reason for their retention during pendency in more than one application. Applicant is required to either cancel the conflicting claims from all but one application or maintain a clear line of demarcation between the applications. See MPEP § 822.

The instant rejected claims are apparatus claims and do not structurally change when the material being treated changes. Accordingly, the claims are rejected.

Claims 7,9,11,12,15,17,19-52 and 60-110 provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims of copending Application No. 10/263,810. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instant claims are fully encompassed by the copending claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 7,9,11,12,15,17,19-52 and 60-110 provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims of copending Application No. 10/492,017. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instant claims are fully encompassed by the copending claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 7,9,11,12,15,17,19-52 and 60-110 provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims of copending Application No. 10/493,500. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instant claims are fully encompassed by the copending claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

## Terminal Disclaimer

The terminal disclaimers to the three applications filed above have been disapproved by the paralegal, because the filing dates identifying the applications are wrong.

Furthermore, changes to the apparatus claims as done in the copending applications, for example 10/502,343 would remove the 101 double patenting rejections.

Art Unit: 1795

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arun S. Phasge whose telephone number is (571) 272-1345. The examiner can normally be reached on MONDAY-THURSDAY, 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Arun S. Phasge/ Primary Examiner, Art Unit 1795